Infectious Diseases - Host Site Description

New York City Department of Health and Mental Hygiene

Assignment Location: Long Island City, US-NY

New York City Department of Health and Mental Hygiene

Immunization/Disease Control

Primary Mentor: Robert Arciuolo, MPH

Surveillance Informatics and Data Lead

NYC Department of Health and Mental Hygiene, Bureau of Immunization

Secondary Mentor: Krishika Graham, MD, MPH

Vaccine Preventable Disease Surveillance Unit Chief

NYC Department of Health and Mental Hygiene, Bureau of Immunization

Work Environment

Hybrid

Assignment Description

The Fellow will be assigned to the Bureau of Immunization (BOI) within the Division of Disease Control (DDC) at the NYC DOHMH. BOI is composed of units focused on: Vaccine Preventable Disease (VPD) Surveillance, Perinatal Hepatitis B Prevention, Program Support (child care and school immunization compliance), Clinical Services/Emergency Management, Administration, Citywide Immunization Registry, Provider Quality Assurance, Vaccine Management, and Adult Immunization. Upon arrival, the Fellow would meet with each Unit Chief to learn about their work, explore possible projects and activities of interest. The Fellow will dedicate most of their time to proposed projects including a surveillance system evaluation evaluating syndromic surveillance and regional health information organization data for mumps and pertussis case ascertainment and a major analytic project looking at vaccine-associated rash from wildtype measles infection during an outbreak of measles.

For their day-to-day activities, The Fellow will be primarily assigned to the VPD Surveillance Unit with which they will participate in intake and investigation of reportable disease cases and clusters, intermittent analyses of surveillance data, weekly case classification, weekly epidemiology meetings, and all staff meetings. The VPD Surveillance Unit and BOI also regularly respond to outbreaks of measles, mumps, pertussis, and varicella. Since 2022, BOI has been investigating and providing control measures for a large outbreak of Varicella among recent migrants to NYC residing in congregate settings. During 2018-2019, BOI investigated the largest outbreak of measles in the United States since 1992, with nearly 650 cases of measles. Other notable outbreaks and responses have included large community and college campus outbreaks of mumps in 2010, 2014, and 2015, community measles outbreaks in 2013 and 2014, a citywide outbreak of pertussis in 2011-2012 and a community-based pertussis outbreak in 2015. The VPD Surveillance Unit also conducts polio surveillance following identification of a paralytic polio case in a nearby county of New York State in 2022. The Fellow will be incorporated into outbreak response and control activities such as these, including data epidemiologic summaries and data analysis. These outbreaks have also consistently led to opportunities for additional studies, presentations, and publications for the Fellow as well.

The Fellow will also attend meetings within BOI (e.g. NYC Childhood and Adult immunization Coalition meetings), DDC (e.g. trainings and Town Halls), and across DOHMH (e.g. Epidemiology Grand Rounds) to gain exposure to all aspects of the BOI's and DOHMH's work.

Infectious Diseases - Host Site Description

New York City Department of Health and Mental Hygiene

Describe Statistical and Data Analysis Support, Such as Databases, Software, and Surveillance Systems Available to the Fellow

The Citywide Immunization Registry (CIR) is a centralized repository of immunization information on New Yorkers with the City Health Code requiring that all immunizations for those aged less than 19 years be recorded in the CIR. The CIR contains records of over 8 million individuals and 107 million immunizations. The CIR is a robust source of data to conduct analyses around immunization coverage and the introduction of new vaccines.

The Bureau's Surveillance Units maintain their data in a web-based data system "Maven." Trainings in use of Maven will be made available to the Fellow. The primary mentor, Robert Arciuolo, serves as the Maven administrator for BOI and has extensive experience using Maven. Mr. Arciuolo also has robust experience with various analytic and data visualization software (e.g., SAS, GIS, SaTScan, Tableau, REDCap) and serves as co-lead for the DOHMH SAS User Group. In addition, the Division of Epidemiology's Epidemiology Services Unit offers support services, including statistical and analytic consultations when needed.

Within the Division of Epidemiology there are also a number of large datasets such as the NYC Community Health Survey, hospital discharge datasets and vital records data, which have been used for analytic projects.

Projects

Surveillance Activity Title: Conduct a VPD outbreak investigation

Surveillance Activity Description:

The CSTE Fellow would be responsible for conducting the investigation and epidemiologic analysis of a vaccine-preventable disease outbreak. Details of the investigation would vary depending on the nature of the outbreak.

Surveillance Activity Objectives:

Additional analytic projects could be developed specific to outbreaks or emergent issues that may arise during the fellowship. Examples of past projects conducted by CSTE Fellows include:

- Evaluation of rubella diagnostic testing and surveillance in NYC
- Evaluation of the use of social media during a mumps outbreak in 2015
- Evaluation of non-mumps parotitis during the 2014-2015 influenza season
- Mumps vaccine effectiveness and risk factors for disease in households during an outbreak in NYC
- Effectiveness of measles post-exposure prophylaxis during an outbreak in NYC
- Provider awareness and altered practices survey following a 2011-2012 pertussis outbreak in NYC

Surveillance Activity Impact:

Training in outbreak surveillance, control, and data summary/analysis.

Surveillance System Evaluation Title: Evaluation of syndromic surveillance and regional health information organization data for mumps and pertussis case ascertainment

Surveillance System Evaluation Description:

New York State Public Health Law and NYC Health Code requires health care providers to report select conditions to DOHMH at the time of clinical diagnosis. Additionally, laboratories are mandated to electronically report lab results for select diseases. VPD reports received by DOHMH are investigated and case managed by the VPD Surveillance Unit. The unit also ensures timely control measures are enacted including guidance to providers, contact tracing, isolation and quarantine recommendations, and post-exposure prophylaxis.

Infectious Diseases - Host Site Description

New York City Department of Health and Mental Hygiene

Among the conditions managed by the VPD Surveillance Unit are mumps and pertussis. While both are provider and laboratory reportable, the majority of case investigations are initiated from a laboratory report and not reported by a health care provider due to a lack of suspicion and/or delayed provider reporting to DOHMH.

This evaluation will assess 2 alternative reporting methods stemming from medical records to assess their utility in capturing mumps and pertussis at the time of provider diagnosis. These include syndromic surveillance data and regional health information organization (RHIO) data.

Syndromic surveillance data are from Emergency Department visits across NYC and include triage notes, chief complaint, and diagnoses. During a 2022-2023 varicella outbreak in NYC, the VPD Surveillance Unit leveraged syndromic surveillance reporting to identify suspect cases of varicella among recent migrants residing in congregate residential settings. An evaluation found this method to have a high positive predictive value and identified a large proportion of cases not otherwise reported to DOHMH.

RHIOs are organizations formed and operated to facilitate the exchange of electronic health records among hospitals, physicians, and others in the health care system. The VPD Surveillance unit has worked with RHIOs to setup electronic case reporting via "RHIO alerts" when available medical records meet select trigger criteria for public health reporting. These include diagnosis of mumps or pertussis, but have not yet been evaluated.

It is hypothesized that similar to the use in the varicella outbreak, syndromic surveillance data and RHIO alerts may have a high PPV and assist in identifying otherwise unreported mumps and pertussis cases. However, unlike varicella, mumps and pertussis often have a less clear clinical picture that requires laboratory testing to diagnose; this may reduce utility of these methods as compared to varicella. This evaluation will assess the sensitivity, positive predictive value, timeliness, and new case finding for syndromic surveillance data and RHIO data.

Surveillance System Objectives:

Presentation and potential publication of findings.

Surveillance System Impact:

Findings from this evaluation will inform future work conducted by the VPD Surveillance Unit and whether to include these alternative reporting methods in routine surveillance activities.

Major Project Title: Differentiating vaccine-associated rash from wildtype measles infection during an outbreak of measles

Major Project Description:

Measles is a highly contagious viral respiratory illness characterized by a maculopapular rash throughout the body, fever, and cough, coryza, and conjunctivitis. Severe complications of measles may include miscarriage, encephalitis, and death. Rapid time-intensive public health control measures are required following a measles exposure to prevent the spread of measles to other susceptible persons. Measles vaccination (MMR or MMRV vaccines in the US) is highly effective in preventing measles infection. However, approximately 5% of MMR vaccine recipients may develop a transient rash 7 to 10 days after vaccination. While vaccine-associated rash is generally mild and is not communicable to others, it may be difficult to distinguish from a true measles infection especially in an outbreak setting. Traditional diagnostic testing via polymerase chain reaction (PCR) and serology, cannot distinguish vaccine-associated rash from wildtype infection. Viral genotyping is required to distinguish the two but may take days to weeks to perform leaving public health officials to implement taxing control measures while awaiting results. In recent years a specific PCR test known as MeVA was introduced to rapidly detect vaccine-strain virus. Both genotyping and MeVA were utilized during a large 2018-2019 measles outbreak to triage cases with recent vaccination.

Infectious Diseases - Host Site Description

New York City Department of Health and Mental Hygiene

This project will use surveillance data to assess differences between wildtype cases vs vaccine-associated rash. Criteria may include time since vaccination, prior vaccination status, severity of illness, known exposure, level of community transmission, and age. Information will be used to characterize potential predictors of vaccine-associated rash versus wildtype infection. Additionally, this project will describe the timeliness and predictive value of MeVA testing as compared to traditional genotyping. Given an expanding commercial testing landscape findings may inform the utility and importance of MeVA testing at local public health laboratories.

Major Project Objectives:

Presentation and potential publication of findings.

Major Project Impact:

Differences in case characteristics may inform level of suspicion and urgency of control measures in future settings and/or further emphasize the necessity of lab testing to rule-out measles infection. The utility of MeVA testing may inform lab capacity needs at a local level.

Additional Project #1 Title: Epidemiology of infant pertussis and impact of Maternal Tdap Project #1 Type: Major Project

Project #1 Description:

Since 2018, CDC's Advisory Committee on Immunization Practices has recommended that women receive a dose of Tdap during each pregnancy, which should be administered from 27 through 36 weeks' gestation, regardless of previous receipt of Tdap. The maternal Tdap serves to boost the maternal antibodies passed to the newborn to protect against infection. Subsequently infants begin a DTaP vaccination schedule at 2 months of age.

In NYC, an increase in pertussis cases in certain Brooklyn zip codes has been observed since July 2022. The majority of cases have occurred among unvaccinated children <5 years many of which were among infants <1 year of age. During pertussis case investigations DOHMH collects information on both infant DTaP (i.e. via CIR and medical records) and maternal Tdap vaccination status (i.e., via self-report and medical records). This project will analyze these data to assess the epidemiology of infant pertussis in NYC. The CSTE Fellow would assist in determining missing information via chart reviews and determine the proportion of mothers with maternal Tdap vaccination and reported barriers to uptake. Among infant cases >2 months of age, this analysis will assess differences in infant DTaP vaccination status and maternal Tdap vaccination (e.g. differences in race, ethnicity, geographic residence, age, prior pregnancies, etc.). The analysis will also describe any differences in infant outcomes by infant DTaP and maternal Tdap vaccination status.

Project #1 Objectives and Expected Deliverables:

Potential to present and publish findings.

Project #1 Impact:

Awareness of vaccination gaps, particularly maternal Tdap vaccination, may inform BOI's programmatic work to increase maternal Tdap vaccination.

Please Describe the Fellow's Anticipated Role in Preparedness and Response Efforts – Include Activities and Time Allocation (Required Competency of Fellowship)

BOI staff have specific emergency preparedness roles and the CSTE Fellow would be able to participate in these activities. BOI is part of the Clinical Operations Branch which is responsible for pandemic vaccine planning and mass prophylaxis plans. The CSTE Fellow would attend emergency preparedness meetings and engage in emergency response activities.

Infectious Diseases - Host Site Description

New York City Department of Health and Mental Hygiene

Examples of responses that past CSTE Fellows involved with include:

- Mass vaccination clinics for COVID-19 and influenza in underserved neighborhoods
- Investigation data quality and improvement during a 2022 mpox outbreak
- Pharmacy outreach for vaccine distribution during COVID-19 pandemic
- Epidemiologic data analysis during agency activations for measles, mumps, and other large-scale VPD outbreaks
- Monitoring of travelers from Ebola-affected countries who were traveling between U.S. jurisdictions
- Data collection during vaccine PODs for Neisseria meningitis among men who have sex with men and for hepatitis A following large restaurant exposures.

Please Describe the Fellow's Anticipated Role in Cluster and Outbreak Investigations – Include Activities and Time Allocation (Required Competency of Fellowship)

The CSTE Fellow would be responsible for conducting the investigation and epidemiologic analysis of a vaccine-preventable disease outbreak. Details of the investigation would vary depending on the nature of the outbreak. Additional analytic projects could be developed specific to outbreaks or emergent issues that may arise during the fellowship.

Please Describe the Fellow's Anticipated Role in the COVID-19 Response – Include Activities and Time Allocation

The Fellow would have opportunities to join meetings and attend presentations focused on COVID-19 vaccine response. There may be opportunities for the CSTE Fellow to assist in the planning and data coordination of future mass vaccination clinics targeting underserved neighborhoods as was done in 2023 for COVID-19 and influenza vaccination.

Please Describe Opportunities for Fellows to Work in Health Equity as well as Incorporating Diversity, Equity, and Inclusion into their Work

Ensuring equitable access to immunizations and disease prevention is critical to the mission of BOI and will be incorporated into projects conducted by the CSTE Fellow.